

2101 三刃全钨钢螺旋粗铣刀

Roughing Spiral Three Blade
Cutters w/ Solid Carbide
(Up/Down/Compression Cut)

性能特点 (Features):

(一) 采用优质合金加工成型, 切销锋利, 经久耐用


(1) Use high quality tungsten steel alloy for machining to assure the sharp cutting performance and durable.

(二) 采用精密五轴磨加工, 更好地保障产品的加工精密度和质量稳定

(2) Use high precision Five-Axis Grinding machining to assure our cutter with precise machining along with stable quality.

(三) 黄金比例粒度, 硬度, 以及钴量调配, 更经久耐用

(3) Steel composed with required granularity, hardness level, and cobalt volume best suited for woodworking.



| Product Code 产品编码 | D 刃径 | d 柄徑 | L1 刃長 | L 全長 |
|--|--------------|------------|----------------|--------------|
| Up Mill (L) / Down Mill (R) / Compression (X) | Cutting Dia. | Shank Dia. | Cutting Length | Total Length |
| 逆铣L / 顺铣R / 複合式X | mm | mm | mm | mm |
| 2101-063080Z06L | 6 | 6 | 30 | 80 |
| 2101083070z12uL | 8 | 1/2" | 30 | 70 |
| 2101103080z12uL | 10 | 1/2" | 30 | 80 |
| 2101-103580Z10L | 10 | 10 | 35 | 80 |
| 2101-1250A0Z12L | 12 | 12 | 50 | 100 |
| 210112u55C0z12uL | 1/2" | 1/2" | 55 | 120 |
| 2101-16A5G5Z16L | 16 | 16 | 105 | 165 |
| 2101-18A5G5Z18L | 18 | 18 | 105 | 165 |
| 2101-2060C0Z20L | 20 | 20 | 60 | 120 |
| 2101-20A5G5Z20L | 20 | 20 | 105 | 165 |
| 2101-063080Z06R | 6 | 6 | 30 | 80 |
| 2101083070z12uR | 8 | 1/2" | 30 | 70 |
| 2101103080z12uR | 10 | 1/2" | 30 | 80 |
| 2101-103580Z10R | 10 | 10 | 35 | 80 |
| 2101-1250A0Z12R | 12 | 12 | 50 | 100 |
| 210112u55C0z12uR | 1/2" | 1/2" | 55 | 120 |
| 2101-16A5G5Z16R | 16 | 16 | 105 | 165 |
| 2101-18A5G5Z18R | 18 | 18 | 105 | 165 |
| 2101-2060C0Z20R | 20 | 20 | 60 | 120 |
| 2101-20A5G5Z20R | 20 | 20 | 105 | 165 |
| 2101-063080Z06X | 6 | 6 | 30 | 80 |
| 2101083070z12uX | 8 | 1/2" | 30 | 70 |
| 2101103070z12uX | 10 | 1/2" | 30 | 80 |
| 2101-103580Z10X | 10 | 10 | 35 | 80 |
| 2101-1250A0Z12X | 12 | 12 | 50 | 100 |
| 210112u55C0z12uX | 1/2" | 1/2" | 55 | 120 |
| 2101-16A5G5Z16X | 16 | 16 | 105 | 165 |
| 2101-18A5G5Z18X | 18 | 18 | 105 | 165 |

| | | | | |
|-----------------|----|----|-----|-----|
| 2101-2060C0Z20X | 20 | 20 | 60 | 120 |
| 2101-20A5G5Z20X | 20 | 20 | 105 | 165 |

可根据要求提供特殊尺寸。Special size upon request.

==